Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	774	(kvm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 16:02
L2	213	(kvm) NEAR2 (switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 16:03
L3	213	((kvm) NEAR2 (switch))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 16:06
L4	169	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 16:30
L5	2	"6957287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 16:11
L6	163	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND (keyboard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 18:42
L7	0	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND (keyboard) NEAR4 (preset "pre-set" shortcut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 16:31
L8	0	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND (keyboard) NEAR4 (preset "pre-set" shortcut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 16:34

L9	9	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND ((hotkey) OR ((preset "user-set" predefined "pre-defined" "pre-set" shortcut) NEAR2 (key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 16:40
L10	159	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND (mouse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 18:42
L11	30	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND ((mouse) NEAR4 (on off start stop enable disable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 18:55
L12	43	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND ((mouse) NEAR4 (select control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 19:03
L13	49	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND ((mouse) NEAR4 (select switch) NEAR4 (pc host workstation computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 19:08
L14	5	((kvm) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND ((mouse) NEAR4 (select choose change pick) NEAR4 (pc host workstation computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 19:10
L15	5	((kvm kvmp) NEAR2 (switch)) AND (@ad<"20040204" @rlad<"20040204") AND ((mouse) NEAR4 (select choose change pick) NEAR4 (pc host workstation computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 19:15
L16	5	((kvm kvmp)) AND (@ad<"20040204" @rlad<"20040204") AND ((mouse) NEAR4 (select choose change pick) NEAR4 (pc host workstation computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 19:20

L17	0	((kvm kvmp)) AND (@ad<"20040204" @rlad<"20040204") AND ((mouse) NEAR4 (shortcut))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 19:20
L18	17	((kvm kvmp)) AND (@ad<"20040204" @rlad<"20040204") AND ((mouse) NEAR4 (shortcut button press hotkey))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 19:20
L19	17	((kvm kvmp)) AND (@ad<"20040204" @rlad<"20040204") AND ((mouse) NEAR4 (button press hotkey))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 19:57
L20	53	((kvm kvmp)) AND (@ad<"20040204" @rlad<"20040204") AND (vga)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 19:57
L21	22	710/316,62,36,15.ccls. AND (kvm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 20:33
L22	22	710/316,62,36,15.ccls. AND (kvm kvmp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 20:33